

ROLLING SH	UTTERS
DdP No.	Identification of the product
PE/01/2013	ALUGAN-45 (Profiled aluminium)
PE/02/2013	ALUGIX-39.5 (Profiled aluminium)
PE/05/2013	ALUGIX-50 (Profiled aluminium)
PE/06/2013	ALUGIX-55 (Profiled aluminium)
PE/07/2013	ALUGIX-56 (Profiled aluminium)
PE/08/2013	E-45 (Profiled aluminium)
PE/10/2013	PS-78 (Extruded aluminium)
PE/11/2013	PS-40 (Extruded aluminium)
PE/12/2013	PS-40 Micro-perforated (Extruded aluminium)
PE/13/2013	PS-40 Self-locking (Extruded aluminium)
PE/14/2013	PS-45 Self-locking (Extruded aluminium)
PE/15/2013	PS-55 (Extruded aluminium)
PE/16/2013	PS-64 (Extruded aluminium)
PE/17/2013	PS-65 Self-locking (Extruded aluminium)
PE/19/2013	ALUGIX-546 (Profiled aluminium)
PE/20/2014	PS-48 Self-locking (Extruded aluminium)
PE/21/2014	Mini-39 PVC
PE/22/2014	ALUGIX-546 High density (Profiled aluminium)
PE/24/2014	ALUGIX-55 High Density (Profiled aluminium)
PE/26/2014	MINI-40 Special (PVC)
PE/28/2014	MINI-47 (PVC)
PE/29/2014	P-50 (PVC)
PE/30/2014	P-55 (PVC)
PE/31/2014	P-60 (PVC)
PE/32/2014	R-50 (PVC)
PE/33/2014	PM-45 (Extruded aluminium)
PE/34/2014	PS-45 R (Extruded aluminium)
PE/35/2014	PS-53 (Extruded aluminium)
PE/36/2014	PS-65 Self-locking (Extruded aluminium)
PE/37/2013	ALUGIX-45 (Profiled aluminium)
PE/38/2013	ALUGIX-45 High Density 250 (Profiled aluminium)
PE/39/2013	ALUGIX-56 High Density 250 (Profiled aluminium)
PE/40/2013	ALUGIX-50 High Density 250 (Profiled aluminium)
PE/41/2013	ALUGIX-45 High Density 250 (Profiled aluminium)
PE/42/2013	ALUGIX-39.5 High Density 250 (Profiled aluminium)
PE/43/2013	PS-79 (Extruded aluminium)
PE/44/2013	PS-80 Self-locking (Extruded aluminium)
PE/45/2013	PS-100 (Extruded aluminium)
PE/46/2013	PS-100 Tubular (Extruded aluminium)
PE/47/2013	PS-110 (Extruded aluminium)
PE/48/2013	PS-85 R (Extruded aluminium)
PE/49/2013	PS-100 R (Extruded aluminium)
PE/50/2015	PM-49 (Extruded aluminium)



PE/51/2015	TL-77 (Extruded aluminium)
PE/52/2016	PS-64 M (Extruded aluminium)
PE/54/2018	ALUGIX 395 (Profiled aluminium)
PE/55/2018	SUPER ALUGIX-42 (Profiled aluminium)
PE/57/2019	PS-25 R (Extruded aluminium)
PE/62/2020	SUPER ALUGIX-42 High Density 250 (Profiled aluminium)
PE/63/2022	ALUGAN-45 R (Profiled aluminium)
PE/64/2014	N-55 (PVC)



DdP No. PE/01/2013 RPC

1.- Product identification: Alugan-45

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 2000	Class 6	
	1450 x 2200	Class 5	
	1450 x 2800	Class 4	
	1450 x 3400	Class 3	
Resistance to wind	1450 x 3800	Class 2	EN 13659:2004+A1:2008
	2255 x 1900	Class 6	
	2255 x 2000	Class 5	
	2255 x 2500	Class 4	
	2255 x 2900	Class 3	
	2255 x 3400	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/02/2013 RPC

1.- Product identification: Alugix-39,5

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 1600	Class 6	
	1450 x 1850	Class 5	
	1450 x 2100	Class 4	
	1450 x 2500	Class 3	
Resistance to wind	1450 x 2900	Class 2	EN 13659:2004+A1:2008
	2255 x 1500	Class 6	
	2255 x 1700	Class 5	
	2255 x 1900	Class 4	
	2255 x 2300	Class 3	
	2255 x 2700	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/05/2013 RPC

1.- Product identification: Alugix-50

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential characteristics	Height x width (mm)	Features	Harmonised standard
	1450 x 1900	Class 6	
	1450 x 2200	Class 5	
	1450 x 2600	Class 4	
	1450 x 3400	Class 3	
Resistance to wind	1450 x 4000	Class 2	EN 13659:2004+A1:2008
	2255 x 1900	Class 6	
	2255 x 2050	Class 5	
	2255 x 2400	Class 4	
	2255 x 2900	Class 3	
	2255 x 3250	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/06/2013 RPC

1.- Product identification: Alugix-55

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential characteristics	Height x width (mm)	Features	Harmonised standard
	1450 x 660	Class 6	
	1450 x 3000	Class 5	
	1450 x 3600	Class 4	
	1450 x 4400	Class 3	
Resistance to wind	1450 x 4800	Class 2	EN 13659:2004+A1:2008
	2255 x 2600	Class 6	
	2255 x 3000	Class 5	
	2255 x 3600	Class 4	
	2255 x 4400	Class 3	
	2255 x 4800	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/07/2013 RPC

1.- Product identification: Alugix-56

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 2100	Class 6	
	1450 x 2500	Class 5	1
	1450 x 2900	Class 4	
	1450 x 3500	Class 3	-
Resistance to wind	1450 x 4000	Class 2	EN 13659:2004+A1:2008
	2255 x 2100	Class 6	-
	2255 x 2500	Class 5	-
	2255 x 2900	Class 4	-
	2255 x 3500	Class 3	-
	2255 x 4000	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/08/2013 RPC

1.- Product identification: E-45

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 1400	Class 6	
	1450 x 1800	Class 5	
	1450 x 2000	Class 4	-
	1450 x 2550	Class 3	1
Resistance to wind	1450 x 3000	Class 2	EN 13659:2004+A1:2008
	2255 x 1400	Class 6	
	2255 x 1700	Class 5	
	2255 x 1900	Class 4	
	2255 x 2300	Class 3	1
	2255 x 2600	Class 2	-
	2700 x 1000	Class 6	-
I .		1	I .

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/10/2013 RPC

1.- Product identification: PS-78

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 5500	Class 6	
	3500 x 3000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/11/2013 RPC

1.- Product identification: PS-40

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/12/2013 RPC

1.- Product identification: PS-40 Micro

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3000	Class 4	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/13/2013 RPC

1.- Product identification: PS-40 Self-sealing

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/14/2013 RPC

1.- Product identification: PS-45 Self-sealing

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/15/2013 RPC

1.- Product identification: PS-55 Silent

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3000	Class 6	
	3500 x 4000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/16/2014 RPC

1.- Product identification: PS-64

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 4300	Class 6	
	2400 x 4500	Class 5	
Resistance to wind	2400 x 4775	Class 4	EN 13659:2004+A1:2008
	2400 x 5500	Class 3	
	4000 x 4000	Class 6	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/17/2013 RPC

1.- Product identification: PS-65 Self-sealing

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/19/2013 RPC

1.- Product identification: Alugix-546

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 2300	Class 6	
	1450 x 2700	Class 5	
	1450 x 3100	Class 4	
	1450 x 3700	Class 3	-
Resistance to wind	1450 x 4200	Class 2	EN 13659:2004+A1:2008
	2255 x 2300	Class 6	-
	2255 x 2700	Class 5	-
	2255 x 3100	Class 4	-
	2255 x 3700	Class 3	1
	2255 x 4200	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/20/2014 RPC

1.- Product identification: PS-48 Self-sealing

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 2200	Class 6	
	2400 x 2400	Class 5	
Resistance to wind	2400 x 2600	Class 4	EN 13659:2004+A1:2008
	2400 x 3000	Class 3	
	2280 x 1750	Class 6	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/21/2014 RPC

1.- Product identification: Mini-39 PVC

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Height x width (mm)	Features	Harmonised standard
1400 x 880	Class 6	
1400 x 1050	Class 5	
1400 x 1180	Class 4	
1400 x 1400	Class 3	
1400 x 1600	Class 2	EN 13659:2004+A1:2008
2255 x 850	Class 6	
2255 x 940	Class 5	
2255 x 1100	Class 4	
2255 x 1250	Class 3	
2255 x 1400	Class 2	
2150 x 1400	Class 2	
	1400 x 880 1400 x 1050 1400 x 1180 1400 x 1400 1400 x 1600 2255 x 850 2255 x 940 2255 x 1100 2255 x 1250 2255 x 1400	1400 x 880

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/22/2013 RPC

1.- Product identification: Alugix-546 High Density

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 2400	Class 6	
	1450 x 2800	Class 5	
	1450 x 3300	Class 4	
	1450 x 4200	Class 3	
Resistance to wind	1450 x 4800	Class 2	EN 13659:2004+A1:2008
	2255 x 2400	Class 6	
	2255 x 2800	Class 5	
	2255 x 3300	Class 4	
	2255 x 4200	Class 3	
	2255 x 4800	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/24/2013 RPC

1.- Product identification: Alugix-55 High Density

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 2800	Class 6	
	1450 x 3200	Class 5	
	1450 x 3900	Class 4	
	1450 x 5100	Class 3	
Resistance to wind	1450 x 5500	Class 2	EN 13659:2004+A1:2008
	2255 x 2800	Class 6	
	2255 x 3200	Class 5	
	2255 x 3900	Class 4	
	2255 x 5100	Class 3	
	2255 x 5500	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking

lsaxun'



DdP No. PE/26/2014 RPC

1.- Product identification: Mini-40 Special PVC

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1400 x 1022	Class 6	
	1400 x 1200	Class 5	
	1400 x 1450	Class 4	
	1400 x 1640	Class 3	
Resistance to wind	1400 x 1850	Class 2	EN 13659:2004+A1:2008
	2250 x 1000	Class 6	
	2250 x 1640	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/28/2014 RPC

1.- Product identification: Mini-47 PVC

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1400 x 980	Class 6	
	1400 x 1120	Class 5	
	1400 x 1350	Class 4	
	1400 x 1560	Class 3	
Resistance to wind	1400 x 1750	Class 2	EN 13659:2004+A1:2008
	2250 x 950	Class 6	
	2250 x 1560	Class 2	1

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/29/2014 RPC

1.- Product identification: P-50 PVC

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2250 x 1400	Class 6	
	2250 x 1650	Class 5	
	2250 x 2050	Class 4	
	2250 x 2450	Class 3	
Resistance to wind	2250 x 2650	Class 2	EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/30/2014 RPC

1.- Product identification: P-55 PVC

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2250 x 1360	Class 6	
	2250 x 1500	Class 5	
	2250 x 1750	Class 4	
	2250 x 2200	Class 3	
Resistance to wind	2250 x 2400	Class 2	EN 13659:2004+A1:2008
			-

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/31/2014 RPC

1.- Product identification: P-60 PVC

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2250 x 1330	Class 6	
	2250 x 1600	Class 5	
	2250 x 1780	Class 4	
	2250 x 2160	Class 3	
Resistance to wind	2250 x 2340	Class 2	EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/32/2014 RPC

1.- Product identification: R-50 PVC

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2250 x 1600	Class 6	
	2250 x 1900	Class 5	
Resistance to wind	2250 x 2350	Class 4	EN 13659:2004+A1:2008
	2250 x 2800	Class 3	
	2250 x 2920	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/33/2014 RPC

1.- Product identification: PM-45

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 2760	Class 6	
	2400 x 3000	Class 5	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/34/2014 RPC

1.- Product identification: PS-45 R

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3600	Class 6	
	2400 x 4164	Class 5	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/35/2014 RPC

1.- Product identification: PS-53

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 4500	Class 6	
	2400 x 5000	Class 5	
Resistance to wind	4000 x 4200	Class 6	EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/36/2014 RPC

1.- Product identification: PS-65 Self-sealing

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3800	Class 6	
Resistance to wind	2400 x 4200	Class 5	EN 13659:2004+A1:2008
	2400 x 4500	Class 4	
	3500 x 3000	Class 6	
	3500 x 4000	Class 5	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/37/2013 RPC

1.- Product identification: Alugix-45

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 1800	Class 6	
	1450 x 2100	Class 5	
Resistance to wind	1450 x 2500	Class 4	
	1450 x 3200	Class 3	_
	1450 x 3800	Class 2	EN 13659:2004+A1:2008
	2255 x 1600	Class 6	_
	2255 x 1900	Class 5	_
	2255 x 2200	Class 4	-
	2255 x 2800	Class 3	-
	2255 x 3000	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/38/2013 RPC

1.- Product identification: Alugix-45 High density

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 1800	Class 6	
	1450 x 2100	Class 5	1
	1450 x 2400	Class 4	
	1450 x 3000	Class 3	1
Resistance to wind	1450 x 3300	Class 2	EN 13659:2004+A1:2008
	2255 x 1800	Class 6	1
	2255 x 2100	Class 5	
	2255 x 2400	Class 4	
	2255 x 3000	Class 3	
	2255 x 3300	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/39/2013 RPC

1.- Product identification: Alugix-56 High density

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 2200	Class 6	
	1450 x 2650	Class 5	1
	1450 x 3100	Class 4	
	1450 x 3900	Class 3	-
Resistance to wind	1450 x 4600	Class 2	EN 13659:2004+A1:2008
	2255 x 2200	Class 6	-
	2255 x 2650	Class 5	-
	2255 x 3100	Class 4	-
	2255 x 3900	Class 3	-
	2255 x 4600	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/40/2013 RPC

1.- Product identification: Alugix-50 High density

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 1950	Class 6	
	1450 x 2300	Class 5	1
	1450 x 2700	Class 4	
	1450 x 3500	Class 3	-
Resistance to wind	1450 x 4000	Class 2	EN 13659:2004+A1:2008
	2255 x 1950	Class 6	-
	2255 x 2300	Class 5	-
	2255 x 2700	Class 4	-
	2255 x 3500	Class 3	-
	2255 x 4000	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/41/2013 RPC

1.- Product identification: Alugan-45 High density

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 1950	Class 6	
	1450 x 2100	Class 5	
	1450 x 2600	Class 4	
	1450 x 3200	Class 3	
Resistance to wind	1450 x 3700	Class 2	EN 13659:2004+A1:2008
	2255 x 1950	Class 6	
	2255 x 2100	Class 5	
	2255 x 2600	Class 4	
	2255 x 3200	Class 3	
	2255 x 3700	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking



DdP No. PE/42/2013 RPC

1.- Product identification: Alugix-39.5 High density

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 1650	Class 6	
	1450 x 1900	Class 5	
	1450 x 2200	Class 4	
	1450 x 2650	Class 3	
Resistance to wind	1450 x 3050	Class 2	EN 13659:2004+A1:2008
	2255 x 1650	Class 6	
	2255 x 1900	Class 5	
	2255 x 2200	Class 4	
	2255 x 2650	Class 3	
	2255 x 3050	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking

lsaxun'



DdP No. PE/43/2013 RPC

1.- Product identification: PS-79

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	4000 x 4000	Class 6	
	4000 x 5000	Class 5	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/44/2013 RPC

1.- Product identification: PS-80

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	4000 x 4000	Class 6	
Resistance to wind	4000 x 5000	Class 5	EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/45/2013 RPC

1.- Product identification: PS-100

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	4000 x 3500	Class 6	
	4000 x 5000	Class 5	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/46/2013 RPC

1.- Product identification: PS-100 Tubular

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	4000 x 6000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/47/2013 RPC

1.- Product identification: PS-110

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	4000 x 6000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/48/2013 RPC

1.- Product identification: PS-85 R

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	4000 x 5000	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/49/2013 RPC

1.- Product identification: PS-100 R

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	4000 x 4200	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/50/2015 RPC

1.- Product identification: PM-49

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 3000	Class 4	
	2400 x 2900	Class 5	
Resistance to wind	2400 x 2500	Class 6	EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/51/2015 RPC

1.- Product identification: TL-77

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	3000 x 4500	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/52/2016 RPC

1.- Product identification: PS-64 M

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2400 x 2800	Class 6	
	2400 x 3200	Class 5	
Resistance to wind	2400 x 3600	Class 4	
	3000 x 2600	Class 6	EN 13659:2004 + A1:2008
	3000 x 2800	Class 5	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/54/2018 RPC

1.- Product identification: Alugix-395

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	2255 x 2600	Class 2	
	2255 x 2300	Class 3	
Resistance to wind	2255 x 1900	Class 4	EN 13659:2004+A1:2008
	2255 x 1700	Class 5	
	2255 x 1500	Class 6	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/55/2018 RPC

1.- Product identification: Super Alugix-42

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential	Height x width (mm)	Features	Harmonised standard
characteristics			
	1450 x 1600	Class 6	
	1450 x 1850	Class 5	
	1450 x 2200	Class 4	
	1450 x 3200	Class 3	
Resistance to wind	1450 x 3700	Class 2	EN 13659:2004+A1:2008
	2255 x 1500	Class 6	
	2255 x 1750	Class 5	
	2255 x 2000	Class 4	
	2255 x 2400	Class 3	
	2255 x 2700	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

Francisco Giménez Plá Responsible for CE marking

lsaxun'



DdP No. PE/57/2019 RPC

1.- Product identification: PS-25 R

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential characteristics	Height x width (mm)	Features	Harmonised standard
	2400 x 3000	Class 6	
Resistance to wind load	2400 x 3500	Class 5	EN 13659:2004+A1:2008
	2400 x 4000	Class 4	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/62/2020 RPC

1.- Product identification: Super Alugix-42 High density

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential characteristics	Height x width (mm)	Features	Harmonised standard
	2255 x 1600	Class 6	
	2255 x 1850	Class 5	
Resistance to wind	2255 x 2100	Class 4	EN 13659:2004+A1:2008
	2255 x 2800	Class 3	
	2255 x 3200	Class 2	

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/63/2022 RPC

1.- Product identification: Alugan 45-R

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential characteristics	Height x width (mm)	Features	Harmonised standard
	2255 x 1900	Class 6	
	2255 x 2500	Class 4	
Resistance to wind	2255 x 3400	Class 2	EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022





DdP No. PE/64/2014 RPC

1.- Product identification: N-55

2.- Name and address of the manufacturer:

GIMÉNEZ GANGA S.L.U. www.saxun.com

Pol. Ind. "El Castillo", C/Roma, 4, 03630 SAX (ALICANTE), SPAIN

3.- Intended use: Roller blind for outdoor use.

4.- Evaluation system: System 4

5.- Notified body: Not applicable

6.- Declared features

Essential characteristics	Height x width (mm)	Features	Harmonised standard
	2600 x 1315	Class 6	
Resistance to wind			EN 13659:2004+A1:2008

The features of the product identified under heading 1 conform to those declared under heading 6.

This declaration of features is issued, in accordance with Regulation (EU) 305/2011, under the sole responsibility of the manufacturer indicated under heading 2.

Signed for and on behalf of GIMÉNEZ GANGA S.L.U.

Sax, 1 April 2022

